

Exhibit B

AUG 16 2006 13:50 FR BUCHANAN INGERSOLL 2 858 509 7356 TO 2#201#9157127309 P.01/03

Buchanan Ingersoll & Rooney LLP
Attorneys & Government Relations Professionals

12230 El Camino Real, Suite 300
San Diego, CA 92130
Telephone: +1.858.509.7337
Facsimile: +1.858.509.7353
www.buchananingersoll.com

FACSIMILE COVER

The information contained in this facsimile message is or may be attorney-client privileged and contains confidential information intended only for the use of the recipient(s) named below and others expressly authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this message is prohibited and you are asked to notify us immediately by telephone and to return this message to us by mail without copying it. Any questions regarding compatibility should be directed to our Office Services Department at +1.858-509-7300.

Date: August 16, 2006

TO: Dr. Weber

Fax Number: (571) 273-0925

Company: USPTO

Telephone:

Your Reference: 10/815,562

FROM: Joseph R. Baker, Jr.

Telephone: (858) 509-7373

Our Reference: 1034123-000096

Sent By: Kim A. Cabello

Number of Pages 3
Including Cover:

Message

DRAFT - NOT FOR ENTRY IN TO FILE

Proposed Amendments to the Claims.

DRAFT - NOT FOR ENTRY IN TO FILE
Attorney's Docket No. 1034123-000096

In re Patent Application of)	Group Art Unit: 1653
Mohamed Zaiou <i>et al.</i>)	
Application No.: 10/815,562)	Examiner: MITRA, RITA
Filed: March 31, 2004)	Confirmation No.: 5767
For: THERAPY FOR MICROBIAL)	
INFECTIONS)	

VIA FACSIMILE (1-571-273-0925)

Dear Dr. Weber:

It was a pleasure speaking with you on the afternoon of August 14th. Per our recent telephonic interview, please find some suggested claim language. Claim 22 has been amended as a Markush, however, we would be happy to set forth separate claims as needed.

Warmest regards.

Respectfully yours,

Joseph Baker (Reg. No. 40,900)

PROPOSED AMENDMENTS TO THE CLAIMS:

22. (Currently Amended) A method for inhibiting the growth of a bacterium or yeast comprising contacting the bacterium or yeast with an inhibiting effective amount of a ~~polypeptide~~ ^{Cathepsin-like or variant} selected from the group consisting of:

- a) a polypeptide consisting of amino acid residues 31 to 131 of SEQ ID NO:2 and having 1-10 conservative amino acid substitutions;
- b) a polypeptide consisting of amino acid residues 31 to 131 of SEQ ID NO:2 and having 1-10 additional amino acid residues at the amino-terminus and/or carboxy-terminus, wherein the additional amino acid residues are heterologous to residues 1-30 of SEQ ID NO:2 and/or residues 132-170 of SEQ ID NO:2; and
- c) a polypeptide consisting of amino acid residues X₂ to X₃, wherein X₂ is an amino acid residue between and inclusive of residues 29-31 of SEQ

Attorney's Docket No. 1026350-000082

Application No. 10/815,562

Page 2

ID NO:2, and wherein X₃ is an amino acid residue between and inclusive of residues 128-131 of SEQ ID NO:2,

~~as cathelin-like peptide or variant consisting essentially of an amino acid sequence as set forth in SEQ ID NO:2 from about amino acid 31 to 131, wherein the cathelin-like peptide or variant is a polypeptide comprises cysteine proteinase inhibitor activity or and/or exhibits antibacterial activity, or a combination thereof.~~

23. (Currently Amended) The method of claim 22, wherein ~~the cathelin-like peptide variant has 1-10 conservative amino acid substitutions between amino acid residues 31-131~~ 31 and 131 of SEQ ID NO:2 include 1-5 conservative amino acid substitutions.

24. (Cancelled)

25. (New) A method for inhibiting the growth of a bacterium or yeast comprising contacting the bacterium or yeast with an inhibiting effective amount of a polypeptide selected from the group consisting of:

- a) a polypeptide comprising amino acid residues 31 to 131 of SEQ ID NO:2 including 1-10 conservative amino acid substitutions, and excluding:
 - i) residues 1-30 of SEQ ID NO:2 contiguous with the amino terminus of residues 31-131 of SEQ ID NO:2; and
 - ii) residues 132-170 of SEQ ID NO:2 contiguous with the carboxy-terminus of residues 31-131 of SEQ ID NO:2; and
- b) a polypeptide comprising amino acid residues 31 to 131 of SEQ ID NO:2, and excluding:
 - i) residues 1-30 of SEQ ID NO:2 contiguous with the amino terminus of residues 31-131 of SEQ ID NO:2; and
 - ii) residues 132-170 of SEQ ID NO:2 contiguous with the carboxy-terminus of residues 31-131 of SEQ ID NO:2;

wherein residues 31-131 of SEQ ID NO:2 comprise cysteine proteinase inhibitor activity or antibacterial activity, or a combination thereof.

Cancel claims non-elected claims 1, 11, 12 and 14-21, without prejudice or disclaimer.

22. (Currently Amended) A method for inhibiting the growth of a bacterium or

yeast comprising contacting the bacterium or yeast with an inhibiting effective

amount of a polypeptide selected from the group consisting of:

a) a polypeptide consisting of amino acid residues 31 to 131 of SEQ ID

NO:2 and having 1-10 conservative amino acid substitutions:

b) a polypeptide comprising amino acid residues 31 to 131 of SEQ ID

NO:2 and having 1-10 additional amino acid residues at the amino-

terminus and/or carboxy-terminus wherein the additional amino acid

residues are heterologous to residues 1-30 of SEQ ID NO:2 and/or

residues 132-170 of SEQ ID NO:2; and

c) a polypeptide consisting of amino acid residues X₂ to X₃, wherein X₂ is

an amino acid residue selected from the group consisting of residues 29,

30 and 31 of SEQ ID NO:2, and wherein X₃ is an amino acid residue

selected from the group consisting of residues 128, 129, 130 and 131 of

SEQ ID NO:2,

as cathelin-like peptide or variant consisting essentially of an amino acid

sequence as set forth in SEQ ID NO:2 from about amino acid 31-131,

wherein the cathelin-like peptide or variant is a polypeptide comprises

cysteine proteinase inhibitor activity or and/or exhibits antibacterial activity,

or a combination thereof.

23. (Currently Amended) The method of claim 22, wherein the cathelin-like peptide
~~variant has 1-10 conservative amino acid substitutions~~
~~between amino acid~~
residues 31-131 ~~31 and 131~~ of SEQ ID N0:2 include 1-5
conservative amino acid
substitutions.

24. (Cancelled)

25. (New) A method for inhibiting the growth of a bacterium or yeast comprising
contacting the bacterium or yeast with an inhibiting effective amount of a polypeptide selected from the group consisting of:
a) a polypeptide comprising amino acid residues 31 to 131 of SEQ ID N0:2 including 1-10 conservative amino acid substitutions, and
excluding:
i) residues 1-30 of SEQ ID N0:2 contiguous with the amino terminus of residues 31-131 of SEQ ID N0:2; and
ii) residues 132-170 of SEQ ID N0:2 contiguous with the carboxy-terminus of residues 31-131 of SEQ ID N0:2; and
b) a polypeptide comprising amino acid residues 31 to 131 of SEQ ID N0:2, and excluding:
i) residues 1-30 of SEQ ID N0:2 contiguous with the amino terminus of residues 31-131 of SEQ ID N0:2; and
ii) residues 132-170 of SEQ ID N0:2 contiguous with the carboxy-terminus of residues 31-131 of SEQ ID N0:2;
wherein residues 31-131 of SEQ ID N0:2 comprise cysteine proteinase inhibitor activity or antibacterial activity, or a combination thereof.